



# IDEC Signalight

Modular Solutions

Smart Products . Simple Solutions.



Spec Tech Industrial 203 Vest Ave. Valley Park, MO 63088 Phone: 888 SPECTECH  
Email: [sales@spectechind.com](mailto:sales@spectechind.com) [www.spectechind.com](http://www.spectechind.com)

## IDEC LT7 Modular SignalLight Series



The LT7 series signal towers combine innovative LED technology with a five-color modular-style assembly. It's easy to make changes and modify combinations even after it's installed on your machine. The simple design uses only nine modular components complete with alarm functions.

Depending on your requirements, the LT7 is available in 90-250VAC or 24VDC steady and flashing models. The ultra-bright LEDs, IP65 protection and lead-free solder construction meet the most stringent operation safety and environmental requirements, as well as global approvals.

The LT7 series is the best signalling solution available in the industry, bringing value-added design to your machines, systems and applications.



File# E245027

### Smart Design Saves You Money

The LT7's unique modular design significantly reduces the number of modules required, making stocking and replacement of parts a breeze. Each part is designed to fit and work with each of the other parts for easy installation or modification. There are five lens colors and four base units to choose from.

### Unique Locking Connections

Interlocking construction allows for quick assembly and ensures that the electrical connections are always aligned and secure. Each lens securely locks to the next, offering significantly higher levels of reliability in areas of machine vibration and also creating a smooth surface that eliminates dust build-up.

### Audible Alarm

An integrated audible alarm with two user selectable tones is available with the LT7 flashing bases. Select between a continuous or intermittent alarm. The volume of the alarm can be manually adjusted, producing volumes up to 90dB at 1 meter.



### IP65 Environmental Protection

An IP65 enclosure rating is offered standard by means of high-quality O-ring gaskets. This results in high levels of protection against dust and water.

### Lead-Free Design

The LT7 has been designed with the environment in mind. Using lead free components, this product complies fully to the EU directive 2002/95/EC, which restricts the use of lead.




### Push-fit Connection Terminals

Wiring terminals are located in the base of the light tower. Each terminal is color-coded for easy identification. "Push-fit" locking terminals make wiring simple, with no need for tools, saving you time and money on installation.

### Ultra-Bright LEDs

Using the latest and brightest LEDs, the LT7 produces intensified illumination of all lens colors. The unique prism design enhances brightness and ensures outstanding levels of visibility from any direction and distance all at the same price as incandescent light towers.

*LED technology at incandescent prices*



## IDEC LT7 SignaLight Series Part Numbers



### Base Units (with Top Cap)

- LT7B-D24 24VDC Steady Unit
- LT7B-D24FB 24VDC Flashing Unit with Audible Alarm
- LT7B-A250 90-240VAC Steady Unit
- LT7B-A250FB 90-240VAC Flashing Unit with Audible Alarm

### LED/Lens Modules



Amber/Yellow  
LT7A-Y



Blue  
LT7A-S



Green  
LT7A-G



Red  
LT7A-R



Clear/White  
LT7A-C

### Mounting Options (not required)



LT9Z-7L



LT9Z-7T



LT9Z-SZ007

### Replacement Parts

- LT9Z-HCLT7 Top Cap
- LT9Z-ORINGLT7 O-Ring Gasket
- LT9Z-M4NUTSLT7 Mounting Nuts



## Award-Winning PS5R Slim Line Power Supplies

IDEC PS5R Slim Line power supplies have all the features, all the power, and only half the size of traditional power supplies. Save valuable DIN Rail space with the 30W, 60W, 90W, 120W, or 240W models, which can fit any of your power needs. The PS5R Slim Line models are UL508 and UL1604 listed for hazardous locations. The 30W and 60W models are also NEC Class 2 rated. The 120W and 240W models comply with SEMI F47 sag immunity requirements.

[www.idec.com/usa/powersupply](http://www.idec.com/usa/powersupply)



## The World's Safest E-Stop

This one-of-a-kind, "safe break action" design, found only in the IDEC XA & XW series, reverses the energy direction and uses spring-pressure to assure that the NC contacts will open if the emergency switch is damaged or the contact blocks separate due to excessive force. The NC contacts will reliably open, even if they are welded, and stop the machine. Both the XA and XW switches include up to four contacts in a very compact package. This means that there is an additional contact available and the switches can be used in Level 4 safety category applications.

[www.idec.com/estop](http://www.idec.com/estop)

## Support Information

**IDEC Signalight Series:**  
[www.idec.com/signalight](http://www.idec.com/signalight)

**Technical support:**  
[support@idec.com](mailto:support@idec.com)

**800-262-IDEC**  
[www.idec.com](http://www.idec.com)

Smart Products. Simple Solutions.



Specifications and other descriptions in this catalog are subject to change without notice.

# Smart Products. Simple Solutions.

### **IDEC Corporation**

1175 Elko Drive  
Sunnyvale, CA 94089-2209, USA  
Tel (408) 747-0550  
Toll Free (800) 262-IDEC  
Fax (408) 744-9055  
Toll Free Fax (800) 635-6246  
Email: [opencontact@idec.com](mailto:opencontact@idec.com)

### **IDEC Australia Pty. Ltd.**

2/3 Macro Court  
Rowville, Victoria 3178, Australia  
Tel +61-3-9763-3244  
Toll Free (1800) 68-IDEC  
Fax +61-3-9763-3255  
Email: [sales@au.idec.com](mailto:sales@au.idec.com)

### **IDEC Electronics Ltd.**

Unit 2 Beechwood  
Chineham Business Park  
Basingstoke  
Hampshire RG24 8WA, United Kingdom  
Tel +44 (0) 1256-321000  
Fax +44 (0) 1256-327755  
Email: [sales@uk.idec.com](mailto:sales@uk.idec.com)

### **IDEC IZUMI (H.K.) Co., Ltd.**

Unit 1505-1507, DCH Commercial Centre  
No. 25 Westlands Road  
Quarry Bay, Hong Kong  
Tel +852-2803-8989  
Fax +852-2565-0171  
Email: [info@hk.idec.com](mailto:info@hk.idec.com)

### **IDEC Taiwan Corporation**

8F-1, No.79, Hsin Tai Wu Road, Sec. 1  
Hsi-Chih, Taipei County, Taiwan  
Tel +886-2-2698-3929  
Fax +886-2-2698-3931  
Email: [service@idectwn.com.tw](mailto:service@idectwn.com.tw)

### **IDEC Canada Ltd.**

Unit 22-151 Brunel Road  
Mississauga, Ontario, L4Z 1X3, Canada  
Tel (905) 890-8561  
Toll Free (888) 317-IDEC  
Fax (905) 890-8562  
Email: [sales@ca.idec.com](mailto:sales@ca.idec.com)

### **IDEC IZUMI Corporation**

7-31, Nishi-Miyahara  
1-Chome, Yodogawa-ku  
Osaka 532-8550, Japan  
Tel +81-6-6398-2571  
Fax +81-6-6392-9731

### **IDEC Elektrotechnik GmbH**

Wendenstrasse 331  
D-20537 Hamburg, Germany  
Tel +49-40-25305410  
Fax +49-40-25305424  
Email: [service@idec.de](mailto:service@idec.de)

### **IDEC IZUMI Asia Pte. Ltd.**

No. 31, Tannery Lane #05-01  
Dragon Land Building,  
Singapore 347788  
Tel +65-6746-1155  
Fax +65-6844-5995  
Email: [generalinfo@idecasia.com.sg](mailto:generalinfo@idecasia.com.sg)

### **IDEC IZUMI (Shanghai) Co., Ltd.**

Room 608-609, 6F, Gangtai Plaza  
No. 700 Yan'an East rd  
Shanghai 200030, P.R.C.  
Tel: +86-21-53531000  
Fax +86-21-53531263  
Email: [idec@cn.idec.com](mailto:idec@cn.idec.com)

[www.idec.com](http://www.idec.com)

©2005 IDEC Corporation. All Rights Reserved.  
Catalog No. LT9Y-B100-0 05/05 15K